

## SUMMARY FOR MARKET AREA: ASHEVILLE

NC

Access Lines in: ASHEVILLE      Total      =      17375

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	96%	96%	96%	96%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	76%	76%	76%	76%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	53%	53%	53%	53%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	53%	53%	53%	53%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	67%	67%	67%	67%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: ASHEVILLE

NC

Access Lines in: ASHEVILLE      Total      =      17375

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intrswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intrswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	0%	0%	0%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	0%	0%	0%	0%

## SUMMARY FOR MARKET AREA: AUGUSTA

SC

Access Lines in: AUGUSTA Total = 1144

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 PKT Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100%	100%	100%	100%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	0%	0%	0%	0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	100%	100%	100%	100%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	0%	0%	0%	0%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	0%	0%	0%	0%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	0%	0%	0%	0%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	0%	0%	0%	0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	0%	0%	0%	0%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	0%	0%	0%	0%
BSE		Blld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: AUGUSTA

SC

Access Lines in: AUGUSTA                      Total                      =                      1144

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0%	0%	0%	0%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	0%	0%	0%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: AUSTIN-SAN MARCOS TX

al Access Lines in: AUSTIN-SAN MARCOS Total = 28060

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	79%	79%	78%	78%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	65%	65%	65%	65%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	52%	52%	52%	52%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	79%	80%	80%	80%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	79%	80%	80%	80%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	79%	80%	80%	80%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	97%	100%	100%	100%
BSE	Clbg DA Deliv via ICLID	Caller ID	74%	77%	77%	78%
BSE	CXR Select On Rvse Chrg	800 Service	79%	80%	80%	80%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	74%	77%	77%	78%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	74%	77%	77%	78%
BSE	Multiline Hunt Group	Hunt Group Arrangement	97%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	97%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	79%	80%	80%	80%
BSE	Three Way Call Transfer	User Transfer	97%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	97%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	79%	80%	80%	80%
BSE		Bld No. Screen'g (BNS)	97%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	97%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	97%	100%	100%	100%

## SUMMARY FOR MARKET AREA: AUSTIN-SAN MARCOS TX

al Access Lines in: AUSTIN-SAN MARCOS Total = 28060

## Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intrswitch	Call Fwd Bsy Li - Fixed	97%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	97%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	97%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	97%	100%	100%	100%
CNS	CF Dont Ans Intrswitch	Cl Fwd-No Ans-Fixed	97%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	97%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	23%	23%	23%	22%
CNS	CF - Variable	Variable Cl Fwd'g	97%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	23%	23%	23%	22%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	74%	77%	77%	78%
CNS	Call Waiting - Cancel	Cancel Call Waiting	97%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	74%	77%	77%	78%
CNS	Customer Originated Trace	Call Tracing Service	97%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	97%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	97%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	97%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	18%	20%	20%	20%
CNS	Selective Call Forward'g	Special Call Forwarding	97%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	97%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	97%	100%	100%	100%
		Busy Number Redial	97%	100%	100%	100%
CNS		Saved Number Redial	56%	57%	58%	58%
CNS		Last Number Redial	97%	100%	100%	100%
CNS	Call Waiting	Call Waiting	97%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	97%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	97%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	97%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	97%	100%	100%	100%
CNS		Special Call Waiting	97%	100%	100%	100%
CNS		Special Call Acceptance	97%	100%	100%	100%
CNS		Anonymous Call Rejection	97%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	97%	100%	100%	100%
CNS		Call Restriction Service	97%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	97%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BAKERSFIELD

CA

Access Lines in: BAKERSFIELD Total = 47281

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	72%	71%	71%	71%
BSA	Type B - X.75 PKT Sw	Pkt.Swtg Network Svc-X.75	72%	71%	71%	71%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	94%	94%	94%	94%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	72%	71%	71%	71%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	25%	25%	25%	25%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	89%	89%	89%	89%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	72%	71%	71%	71%
BSE	Fast Select Request Pkt	Fast Select	72%	71%	71%	71%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	0%	0%	0%	0%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bldd No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	72%	71%	71%	71%
BSE		MegaConnect Svc (SMDS)	72%	71%	71%	71%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	72%	71%	71%	71%
CNS	Fast Select Accept Pkt	Fast Select	72%	71%	71%	71%
CNS	Fast Select Request Pkt	Fast Select	72%	71%	71%	71%
CNS	Derived Ch (Monitoring)	ScanAlert	72%	71%	71%	71%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BAKERSFIELD

CA

al Access Lines in: BAKERSFIELD Total = 47281

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	59%	59%	58%	58%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Clb Frwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Clb Frwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	40%	41%	41%	42%
CNS		Special Call Acceptance	40%	41%	41%	42%
CNS		Anonymous Call Rejection	40%	41%	41%	42%
CNS		Bldd No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	59%	59%	58%	58%



## SUMMARY FOR MARKET AREA: BEAUMONT-PORT ARTHUR TX

Access Lines in: BEAUMONT-PORT ARTHUR Total = 1636

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	0%	0%	0%	0%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	53%	52%	52%	52%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	33%	33%	33%	33%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clg Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clg DA Deliv via ICLID	Caller ID	85%	85%	86%	86%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	85%	85%	86%	86%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	85%	85%	86%	86%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Blld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BEAUMONT-PORT ARTHUR TX

Access Lines in: BEAUMONT-PORT ARTHUR Total = 1636

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	85%	85%	86%	86%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	ClIg DA Deliv via ICLID	Caller ID	85%	85%	86%	86%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	85%	85%	86%	86%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed ClIg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
		Saved Number Redial	85%	85%	86%	86%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	67%	67%	67%	67%
CNS		ClI Frwd'g Fixed-All clls	100%	100%	100%	100%
CNS		ClI Frwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BELLINGHAM

WA

al Access Lines in: BELLINGHAM Total = 33221

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	100%	100%	100%	100%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	100%	100%	100%	100%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	78%	78%	77%	76%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	59%	58%	58%	58%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	25%	25%	25%	25%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	76%	76%	75%	75%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Swd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
BSE	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	80%	100%	100%	100%
BSE	Clbg DA Deliv via ICLID	Caller ID	87%	96%	96%	96%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	68%	68%	67%	67%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	68%	68%	67%	67%
BSE	Multiline Hunt Group	Hunt Group Arrangement	81%	81%	82%	82%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	81%	81%	82%	82%
BSE	MLHG - UCD With Queuing	Queuing	81%	81%	82%	82%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Blld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	100%	100%	100%	100%
BSE		MegaConnect Svc (SMDS)	100%	100%	100%	100%
BSE		MWI-Audible Ring Burst	48%	48%	48%	48%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	100%	100%	100%	100%
CNS	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
CNS	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
CNS	Derived Ch (Monitoring)	ScanAlert	100%	100%	100%	100%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BELLINGHAM

WA

Access Lines in: BELLINGHAM Total = 33221

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	81%	81%	82%	82%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	61%	62%	62%	63%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	87%	96%	96%	96%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	87%	96%	96%	96%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	68%	68%	67%	67%
CNS	Selective Call Forward'g	Special Call Forwarding	81%	81%	82%	82%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	48%	48%	48%	48%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	81%	81%	82%	82%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Bld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	61%	62%	62%	63%

## SUMMARY FOR MARKET AREA: BENTON HARBOR

MI

Access Lines in: BENTON HARBOR      Total      =      7176

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicated Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100%	100%	100%	100%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	71%	72%	72%	73%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	53%	52%	52%	51%
BSA	Dedicated Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clg Bllg Num Deliv FGD	Automatic No.ID	47%	48%	48%	49%
BSE	Clg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	47%	48%	48%	49%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	47%	48%	48%	49%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BENTON HARBOR

MI

al Access Lines in: BENTON HARBOR Total = 7176

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clig DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clig - 8 & 30 Mos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	47%	48%	48%	49%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	47%	48%	48%	49%
CNS		Special Call Acceptance	47%	48%	48%	49%
CNS		Anonymous Call Rejection	47%	48%	48%	49%
CNS		Bld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BIRMINGHAM

AL

al Access Lines in: BIRMINGHAM

Total = 16660

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100%	100%	100%	100%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	91%	91%	91%	91%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	91%	91%	91%	91%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Cllg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Cllg Bllg Num Deliv FGD	Automatic No.ID	39%	39%	40%	40%
BSE	Cllg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	39%	39%	40%	40%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BIRMINGHAM

AL

Access Lines in: BIRMINGHAM Total = 16660

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intrswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intrswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	39%	39%	40%	40%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	39%	39%	40%	40%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	39%	39%	40%	40%



## SUMMARY FOR MARKET AREA: BLOOMINGTON

IL

Access Lines in: BLOOMINGTON      Total      =      52702

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	100%	100%	100%	100%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	100%	100%	100%	100%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	93%	93%	93%	93%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	81%	81%	82%	82%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	77%	77%	78%	78%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	79%	79%	79%	79%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	43%	43%	43%	43%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Swd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
BSE	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	50%	50%	50%	50%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clkg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clkg Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clkg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	100%	100%	100%	100%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	100%	100%	100%	100%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	100%	100%	100%	100%
CNS	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
CNS	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BLOOMINGTON

IL

Access Lines in: BLOOMINGTON      Total      =      52702

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intrswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intrswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clig DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	100%	100%	100%	100%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	50%	50%	50%	50%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BRAZORIA

TX

al Access Lines in: BRAZORIA Total = 4537

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 PKT Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	37%	35%	34%	33%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	98%	97%	95%	93%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	0%	0%	0%	0%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Swd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
---	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
---	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clig Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clig Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clig DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	100%	100%	100%	100%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BRAZORIA

TX

al Access Lines in: BRAZORIA Total = 4537

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clig DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	100%	100%	100%	100%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blid No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	100%	100%	100%	100%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BROWNSVILLE

TX

al Access Lines in: BROWNSVILLE Total = 4754

## Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	74%	74%	75%	75%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	0%	0%	0%	0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	100%	100%	100%	100%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clig Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clig Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clig DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLNG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLNG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BROWNSVILLE

TX

al Access Lines in: BROWNSVILLE Total = 4754

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	0%	0%	0%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	0%	0%	0%	0%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
		Saved Number Redial	100%	100%	100%	100%
		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BRYAN

TX

al Access Lines in: BRYAN Total = 90127

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	98%	98%	98%	98%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	92%	92%	92%	91%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	74%	74%	74%	73%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	90%	90%	89%	89%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	57%	58%	58%	57%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	70%	70%	69%	69%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	70%	70%	69%	69%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLNG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLNG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	70%	70%	69%	69%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

## SUMMARY FOR MARKET AREA: BRYAN

TX

al Access Lines in: BRYAN      Total      =      90127

## Percentage Availability of ONA Services By Date for      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intrswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intrswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	70%	70%	69%	69%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	70%	70%	69%	69%
CNS		Special Call Acceptance	70%	70%	69%	69%
CNS		Anonymous Call Rejection	70%	70%	69%	69%
CNS		Bld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	70%	70%	69%	69%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%



## SUMMARY FOR MARKET AREA: CANTON

OH

Access Lines in: CANTON

Total = 18874

## Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	100%	100%	100%	100%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	100%	100%	100%	100%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	79%	79%	79%	79%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	85%	85%	85%	85%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	14%	14%	14%	14%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	96%	96%	96%	96%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
BSE	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
PCT	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	90%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	90%	100%	100%	100%
BSE	Cllg Bllg Num Deliv FGB	Automatic No.ID	90%	100%	100%	100%
BSE	Cllg Bllg Num Deliv FGD	Automatic No.ID	90%	90%	90%	90%
BSE	Cllg DA Deliv via ICLID	Caller ID	90%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	90%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	90%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	90%	90%	90%	90%
BSE	Multiline Hunt Group	Hunt Group Arrangement	90%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	90%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	90%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	90%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	90%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	90%	100%	100%	100%
BSE		Bldd No. Screen'g (BNS)	90%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	100%	100%	100%	100%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	55%	90%	90%	90%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	100%	100%	100%	100%
CNS	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
CNS	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
L	Automatic Callback	Automatic Busy Redial	90%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	90%	100%	100%	100%